

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(repeat45 or repetitive\$2 or copy\$4) same (x and y) near10 mask near3 unit same (block\$1 or pixel\$10 and "358"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 13:43
		"5363483" and block\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 04:20
		"90" or "93"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 13:34
S1	1643	"358"/\$.ccls. and video and mask\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 14:27
S2	135	"358"/\$.ccls. and video and mask\$4 near2 unit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 13:40
S3	0	video and repeat\$5 near10 (x and y) near10 mask near1 unit and "358"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 13:40
S4	0	video and repeat\$15 near10 (x and y) near10 mask near1 unit and "358"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 13:40
S5	0	video and repeat\$15 near10 (x and y) near10 mask near3 unit and "358"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 13:40
S6	0	video and repeat\$15 near10 (x and y) near10 mask near3 unit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 13:41

S7	72	(x and y) near10 mask near3 unit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 13:41
S8	3	(x and y) near10 mask near3 unit and "358"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 13:45
S9	0	(repeat45 or repetitive\$2 or copy\$4) same (x and y) near10 mask near3 unit and "358"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 13:42
S10	0	(repeat45 or repetitive\$2 or copy\$4) same (x and y) near10 mask near3 unit same (block\$1 or pixel\$1) and "358"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 13:43
S11	0	(repeat45 or repetitive\$2 or copy\$4) same (x and y) near10 mask near3 unit same (block\$1 or pixel\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 13:43
S12	1	(repeat\$5 or repetitive\$2 or copy\$4) same (x and y) near10 mask near3 unit same (block\$1 or pixel\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 13:43
S13	134	mask near3 unit and "358"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 13:47
S14	11	(repeat\$4 or repetitive) same mask near3 unit and "358"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 13:50
S15	160	(pixel\$1 or block\$1) same (repeat\$4 or repetitive) same (mask near3 unit or mask\$3) and "358"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 13:51
S16	60	(pixel\$1 or block\$1) same (repeat\$4 or repetitive) same (mask near3 unit or mask\$3) and "358"/\$.ccls. and video	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 13:52

S17	2	(pixel\$1 or block\$1) same (repeat\$4 or repetitive) same (mask near3 unit or mask\$3) same (siz\$4 or area or spac\$4) near4 (small\$4 or reduc\$5 or less) and "358"/\$.ccls. and video	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 13:54
S18	19	(pixel\$1 or block\$1) same (repeat\$4 or repetitive) same (mask near3 unit or mask\$3) same (siz\$4 or area or spac\$4) near4 (small\$4 or reduc\$5 or less) and ("348"/\$.ccls. or "375"/\$.ccls. or "725"/\$.ccls. or "382"/\$.ccls. or "345"/\$.ccls. or "358"/\$.ccls. or "347"/\$.ccls.) and video	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 14:22
S19	5	(pixel\$1 or block\$1) same (repeat\$4 or repetitive) same (mask near3 unit or mask\$3) same (siz\$4 or area or spac\$4) near4 (small\$4 or reduc\$5 or less) and ("348"/\$.ccls. or "375"/\$.ccls. or "725"/\$.ccls. or "382"/\$.ccls. or "345"/\$.ccls. or "358"/\$.ccls. or "347"/\$.ccls.) and video and beam	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 14:26
S20	3	(pixel\$1 or block\$1) same (repeat\$4 or repetitive) same (mask near3 unit or mask\$3) same (siz\$4 or area or spac\$4) near4 (small\$4 or reduc\$5 or less) and ("348"/\$.ccls. or "375"/\$.ccls. or "725"/\$.ccls. or "382"/\$.ccls. or "345"/\$.ccls. or "358"/\$.ccls. or "347"/\$.ccls.) and video and beam near3 spot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 14:24
S21	1	otera and video and mask\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 14:28
S22	741	348/744	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 14:28
S23	837	348/578	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 14:28

S24	1571	S22 or S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 14:28
S25	256	S24 and mask\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 14:28
S26	217	S24 and mask\$4 and video	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 14:28
S27	105	S24 and mask\$4 same (dot\$ or dots or block\$1 or pixel\$1) and video	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 14:29
S28	5	S24 and mask\$4 same (dot\$ or dots or block\$1 or pixel\$1) near15 (repeat\$7 or repetitive\$2 or iterat\$5 or reiterat\$5 or copy\$4) and video	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 14:33
S29	4	S24 and mask\$4 same (dot\$ or dots or block\$1 or pixel\$1) near15 (repeat\$7 or repetitive\$2 or iterat\$5 or reiterat\$5 or copy\$4) and video and mask\$4 same (small\$4 or less or reduc\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 14:33
S30	3	S24 and mask\$4 same (dot\$ or dots or block\$1 or pixel\$1) near15 (repeat\$7 or repetitive\$2 or iterat\$5 or reiterat\$5 or copy\$4) and video and mask\$4 same ((small\$4 or less or reduc\$4) and (equal or "the same" or identical\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 14:32
S31	3	otera and mask and size	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:06
S32	2	mask and size and "20020057386" and mask near2 (selection and conversion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:11

S33	7993	(3d adj optical\$1 or stereoscopic\$5 or heads adj up)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:15
S34	71317	(3d adj optical\$1 or stereoscopic\$5 or heads adj up or projector\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:19
S35	19607	(3d adj optical\$1 or stereoscopic\$5 or heads adj up or projector\$1) and conver\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:16
S36	1426	(3d adj optical\$1 or stereoscopic\$5 or heads adj up or projector\$1) and conver\$5 and area near5 size	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:16
S37	1285	(3d adj optical\$1 or stereoscopic\$5 or heads adj up or projector\$1) and conver\$5 and area near5 size and projector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:17
S38	728	(3d adj optical\$1 or stereoscopic\$5 or heads adj up or projector\$1) and conver\$5 and area near5 size and projector and video	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:17
S39	0	(3d adj optical\$1 or stereoscopic\$5 or heads adj up or projector\$1) and conver\$5 and area near5 size and projector and video and 348/788	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:17
S40	2	(3d adj optical\$1 or stereoscopic\$5 or heads adj up or projector\$1) and conver\$5 and area near5 size and projector and video and 348/578	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:17
S41	14	(3d adj optical\$1 or stereoscopic\$5 or heads adj up or projector\$1) and conver\$5 and area near5 size and projector and video and 348/744	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:18
S42	0	(3d adj optical\$1 or stereoscopic\$5 or heads adj up or projector\$1) near10 size near4 area near5 ("the same" or identical or equivalent or smaller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:20

S43	9	(3d adj optical\$1 or stereoscopic\$5 or heads adj up or projector\$1) same size near4 area near5 ("the same" or identical or equivalent or smaller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:22
S44	278	(3d adj optical\$1 or stereoscopic\$5 or heads adj up or projector\$1) and block adj data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:23
S45	10	(3d adj optical\$1 or stereoscopic\$5 or heads adj up or projector\$1) and block adj data near10 (reproduc\$5 or repeat\$4 or repetitive)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:24
S46	9	(3d adj optical\$1 or stereoscopic\$5 or heads adj up or projector\$1) and block adj data near10 (reproduc\$5 or repeat\$4 or repetitive)and size	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:25
S47	1	(3d adj optical\$1 or stereoscopic\$5 or heads adj up or projector\$1) and block adj data near10 (reproduc\$5 or repeat\$4 or repetitive)and size and expan\$5 and contract\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:25
S48	8	(3d adj optical\$1 or stereoscopic\$5 or heads adj up or projector\$1) and block adj data near10 (reproduc\$5 or repeat\$4 or repetitive)and size and (scal\$3 or expan\$5 and contract\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:27
S49	188	(3d adj optical\$1 or stereoscopic\$5 or heads adj up or projector\$1) and block adj data and controller	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:27
S50	2	(3d adj optical\$1 or stereoscopic\$5 or heads adj up or projector\$1) and block adj data and controller and mask near3 conver\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:27
S51	4192	"heads up display"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:34

S52	358	"heads up display" and mask	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:34
S53	207	"heads up display" and mask and conver\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:34
S54	15	"heads up display" and mask same conver\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:34
S55	0	"heads up display" and mask near3 conver\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:35
S56	89	"345"/\$.ccls.and mask near3 conver\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:35
S57	89	"345"/\$.ccls. and mask near3 conver\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:35
S58	86	"348"/\$.ccls. and mask near3 conver\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:35
S59	2	348/744 and mask near3 conver\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:35
S60	4	348/578 and mask near3 conver\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:36
S61	166	("345"/\$.ccls. and mask near3 conver\$5) or ("348"/\$.ccls. and mask near3 conver\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:36

S62	166	((("345"/\$.ccls. and mask near3 conver\$5) or ("348"/\$.ccls. and mask near3 conver\$5)) and conver\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:36
S63	104	((("345"/\$.ccls. and mask near3 conver\$5) or ("348"/\$.ccls. and mask near3 conver\$5)) and conver\$5 near2 mask	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:36
S64	3	((("345"/\$.ccls. and mask near3 conver\$5) or ("348"/\$.ccls. and mask near3 conver\$5)) and conver\$5 near2 mask and stereoscopic\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:37
S65	12	((("345"/\$.ccls. and mask near3 conver\$5) or ("348"/\$.ccls. and mask near3 conver\$5)) and block adj data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:37
S66	2243	("345"/\$.ccls. or "348"/\$.ccls.) and block adj data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:38
S67	1850	("345"/\$.ccls. or "348"/\$.ccls.) and block adj data and image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:38
S68	441	("345"/\$.ccls. or "348"/\$.ccls.) and block adj data and image near3 area	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:39
S69	42	("345"/\$.ccls. or "348"/\$.ccls.) and block adj data and image near3 area near10 size	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:39
S70	38	("345"/\$.ccls. or "348"/\$.ccls.) and block adj data and image near3 area near10 size near4 image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:40
S71	35	("345"/\$.ccls. or "348"/\$.ccls.) and (transform\$5 or quantiz\$6 or dct or idct or conver\$5) and block adj data and image near3 area near10 size near4 image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:40

S72	64	("382"/\$.ccls. or "345"/\$.ccls. or "348"/\$.ccls.) and (transform\$5 or quantiz\$6 or dct or idct or conver\$5) and block adj data and image near3 area near10 size near4 image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:41
S73	66	("382"/\$.ccls. or "345"/\$.ccls. or "348"/\$.ccls.) and (transform\$5 or quantiz\$6 or dct or idct or conver\$5 or expan\$5 or contract\$5) and block adj data and image near3 area near10 size near4 image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:42
S74	4	("382"/\$.ccls. or "345"/\$.ccls. or "348"/\$.ccls.) and (transform\$5 or quantiz\$6 or dct or idct or conver\$5 or expan\$5 or contract\$5) and block adj data and (image near3 area near10 size near4 image) same controller	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:45
S75	107	("382"/\$.ccls. or "345"/\$.ccls. or "348"/\$.ccls.) and thumbnail and mask	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:46
S76	40068	("382"/\$.ccls. or "345"/\$.ccls. or "348"/\$.ccls.) and thumbnail and mask and block adj data or data adj block	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 04:01
S77	30	("382"/\$.ccls. or "345"/\$.ccls. or "348"/\$.ccls.) and thumbnail and mask and (block adj data or data adj block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:47
S78	1117	("382"/\$.ccls. or "345"/\$.ccls. or "348"/\$.ccls.) and (thumbnail or mask) and (block adj data or data adj block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:48
S79	134	("382"/\$.ccls. or "345"/\$.ccls. or "348"/\$.ccls.) and (thumbnail or mask) same (block adj data or data adj block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:49
S80	0	("382"/\$.ccls. or "345"/\$.ccls. or "348"/\$.ccls.) and (thumbnail or mask) same (block adj data or data adj block)and 345/629	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:50

S81	55	(block adj data or data adj block)and 345/629	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:50
S82	14	(block adj data or data adj block)and 345/629 and mask	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:50
S83	1158	(block adj data or data adj block)and mask near3 (module or engine or unit or circuit or device or apparatus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:51
S84	93	(block adj data or data adj block)and mask near3 (module or engine or unit or circuit or device or apparatus)near4 select\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:52
S85	77	(block adj data or data adj block)and mask near3 (module or engine or unit or circuit or device or apparatus)near4 select\$5 and size	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:52
S86	10	(block adj data or data adj block)and mask near3 (module or engine or unit or circuit or device or apparatus)near4 select\$5 and size near4 area	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:55
S87	1	(block adj data or data adj block)and mask near3 (module or engine or unit or circuit or device or apparatus)near4 select\$5 and size near4 area and image near3 (first and second)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:56
S88	1	(block adj data or data adj block)and mask near3 (module or engine or unit or circuit or device or apparatus)near4 select\$5 and size near4 area and image near10 (first and second)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:56
S89	3	(block adj data or data adj block)and mask near3 (module or engine or unit or circuit or device or apparatus)near4 select\$5 and size near4 area and (object\$1 or image\$1) near4 (first and second)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:57

S90	10	(block adj data or data adj block)and mask near3 (module or engine or unit or circuit or device or apparatus)near4 select\$5 and size near4 area and (pixel\$1 or block\$1 or sample\$1 or object\$1 or image\$1) near4 (first and second)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:57
S91	10	(block adj data or data adj block)and mask near3 (module or engine or unit or circuit or device or apparatus)near4 select\$5 and size near4 area and image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:58
S92	10	(block adj data or data adj block)and mask near3 (module or engine or unit or circuit or device or apparatus)near4 select\$5 and size near4 area and image and (control\$5 or processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 03:59
S93	10902	("382"/\$.cccls. or "345"/\$.cccls. or "348"/\$.cccls.) and thumbnail and mask and block adj data or data adj blockand mask near4 size	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 04:01
S94	146	("382"/\$.cccls. or "345"/\$.cccls. or "348"/\$.cccls.) and thumbnail and mask and block adj data or data adj blockand mask near4 size near4 display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 04:01
S95	26	("382"/\$.cccls. or "345"/\$.cccls. or "348"/\$.cccls.) and thumbnail and mask and block adj data or data adj block and mask near4 size near4 display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 04:01
S96	716	("382"/\$.cccls. or "345"/\$.cccls. or "348"/\$.cccls.) and mask and block adj data or data adj block and mask near4 size near4 display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 04:02
S97	2	("382"/\$.cccls. or "345"/\$.cccls. or "348"/\$.cccls.) and mask and (block adj data or data adj block) and mask near4 size near4 display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 04:03
S98	3	("382"/\$.cccls. or "345"/\$.cccls. or "348"/\$.cccls.) and (mask near4 size near4 display) same area	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 04:13

S99	2	"20020089518"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 04:11
S10 0	6	"5724494"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 13:02
S10 1	3	"6366289"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 13:02

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2112	selection near3 mask\$4	USPAT	OR	OFF	2004/11/10 10:34
L2	415	selection adj1 mask\$4	USPAT	OR	OFF	2004/11/10 10:34
L3	415	selection adj mask\$4	USPAT	OR	OFF	2004/11/10 10:35
L4	27	selection adj mask\$4 same block	USPAT	OR	OFF	2004/11/10 10:35
L5	1	selection adj mask\$4 same block same (2d or 2-d or two adj1 dimension\$4)	USPAT	OR	OFF	2004/11/10 10:38
L6	275692	selection adj mask\$4 same block sand (2d or 2-d or two adj1 dimension\$4)	USPAT	OR	OFF	2004/11/10 10:38
L7	13	selection adj mask\$4 same block and (2d or 2-d or two adj1 dimension\$4)	USPAT	OR	OFF	2004/11/10 10:38
L8	0	selection adj mask\$4 same block same (repeat\$4 or reiterat\$5 or copied or copy\$3 or replicat\$5) and (2d or 2-d or two adj1 dimension\$4)	USPAT	OR	OFF	2004/11/10 10:42
L9	58	selection same mask\$4 same block same (repeat\$4 or reiterat\$5 or copied or copy\$3 or replicat\$5) and (2d or 2-d or two adj1 dimension\$4)	USPAT	OR	OFF	2004/11/10 10:42
L10	3	selection same mask\$4 same block same (repeat\$4 or reiterat\$5 or copied or copy\$3 or replicat\$5) same (2d or 2-d or two adj1 dimension\$4)	USPAT	OR	OFF	2004/11/10 10:42
L11	1	selection same mask\$4 same block near15 (repeat\$4 or reiterat\$5 or copied or copy\$3 or replicat\$5) same (2d or 2-d or two adj1 dimension\$4)	USPAT	OR	OFF	2004/11/10 10:45
L12	0	selection same mask\$4 same block near5 (repeat\$4 or reiterat\$5 or copied or copy\$3 or replicat\$5) same (2d or 2-d or two adj1 dimension\$4)	USPAT	OR	OFF	2004/11/10 10:42
L13	7	((selection same mask\$4) or mask\$4) same block near15 (repeat\$4 or reiterat\$5 or copied or copy\$3 or replicat\$5) same (2d or 2-d or two adj1 dimension\$4)	USPAT	OR	OFF	2004/11/10 10:48
L14	4	((selection same mask\$4) or mask\$4) same block near3 (repeat\$4 or reiterat\$5 or copied or copy\$3 or replicat\$5) same (2d or 2-d or two adj1 dimension\$4)	USPAT	OR	OFF	2004/11/10 10:46

L15	1	((selection same mask\$4) or mask\$4) same block near10 (repeat\$4 or reiterat\$5 or copied or copy\$3 or replicat\$5) near10 (2d or 2-d or two adj1 dimension\$4)	USPAT	OR	OFF	2004/11/10 10:50
L16	62	block near10 (repeat\$4 or reiterat\$5 or copied or copy\$3 or replicat\$5) near10 (2d or 2-d or two adj1 dimension\$4)	USPAT	OR	OFF	2004/11/10 10:49
L17	4	((selection same mask\$4) or mask\$4) same block near10 (repeat\$4 or reiterat\$5 or copied or copy\$3 or replicat\$5) near10 (2d or 2-d or two adj1 dimension\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 10:50

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2112	selection near3 mask\$4	USPAT	OR	OFF	2004/11/10 10:34
L2	415	selection adj1 mask\$4	USPAT	OR	OFF	2004/11/10 10:34
L3	415	selection adj mask\$4	USPAT	OR	OFF	2004/11/10 10:35
L4	27	selection adj mask\$4 same block	USPAT	OR	OFF	2004/11/10 10:35
L5	1	selection adj mask\$4 same block same (2d or 2-d or two adj1 dimension\$4)	USPAT	OR	OFF	2004/11/10 10:38
L6	275692	selection adj mask\$4 same block sand (2d or 2-d or two adj1 dimension\$4)	USPAT	OR	OFF	2004/11/10 10:38
L7	13	selection adj mask\$4 same block and (2d or 2-d or two adj1 dimension\$4)	USPAT	OR	OFF	2004/11/10 10:38
L8	0	selection adj mask\$4 same block same (repeat\$4 or reiterat\$5 or copied or copy\$3 or replicat\$5) and (2d or 2-d or two adj1 dimension\$4)	USPAT	OR	OFF	2004/11/10 10:42
L9	58	selection same mask\$4 same block same (repeat\$4 or reiterat\$5 or copied or copy\$3 or replicat\$5) and (2d or 2-d or two adj1 dimension\$4)	USPAT	OR	OFF	2004/11/10 10:42
L10	3	selection same mask\$4 same block same (repeat\$4 or reiterat\$5 or copied or copy\$3 or replicat\$5) same (2d or 2-d or two adj1 dimension\$4)	USPAT	OR	OFF	2004/11/10 10:42
L11	1	selection same mask\$4 same block near15 (repeat\$4 or reiterat\$5 or copied or copy\$3 or replicat\$5) same (2d or 2-d or two adj1 dimension\$4)	USPAT	OR	OFF	2004/11/10 10:45
L12	0	selection same mask\$4 same block near5 (repeat\$4 or reiterat\$5 or copied or copy\$3 or replicat\$5) same (2d or 2-d or two adj1 dimension\$4)	USPAT	OR	OFF	2004/11/10 10:42
L13	7	((selection same mask\$4) or mask\$4) same block near15 (repeat\$4 or reiterat\$5 or copied or copy\$3 or replicat\$5) same (2d or 2-d or two adj1 dimension\$4)	USPAT	OR	OFF	2004/11/10 10:48
L14	4	((selection same mask\$4) or mask\$4) same block near3 (repeat\$4 or reiterat\$5 or copied or copy\$3 or replicat\$5) same (2d or 2-d or two adj1 dimension\$4)	USPAT	OR	OFF	2004/11/10 10:46

L15	1	((selection same mask\$4) or mask\$4) same block near10 (repeat\$4 or reiterat\$5 or copied or copy\$3 or replicat\$5) near10 (2d or 2-d or two adj1 dimension\$4)	USPAT	OR	OFF	2004/11/10 10:50
L16	62	block near10 (repeat\$4 or reiterat\$5 or copied or copy\$3 or replicat\$5) near10 (2d or 2-d or two adj1 dimension\$4)	USPAT	OR	OFF	2004/11/10 10:49
L17	4	((selection same mask\$4) or mask\$4) same block near10 (repeat\$4 or reiterat\$5 or copied or copy\$3 or replicat\$5) near10 (2d or 2-d or two adj1 dimension\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 10:50

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2112	selection near3 mask\$4	USPAT	OR	OFF	2004/11/10 10:34
L2	415	selection adj1 mask\$4	USPAT	OR	OFF	2004/11/10 10:34
L3	415	selection adj mask\$4	USPAT	OR	OFF	2004/11/10 10:35
L4	27	selection adj mask\$4 same block	USPAT	OR	OFF	2004/11/10 10:35
L5	1	selection adj mask\$4 same block same (2d or 2-d or two adj1 dimension\$4)	USPAT	OR	OFF	2004/11/10 10:38
L6	275692	selection adj mask\$4 same block sand (2d or 2-d or two adj1 dimension\$4)	USPAT	OR	OFF	2004/11/10 10:38
L7	13	selection adj mask\$4 same block and (2d or 2-d or two adj1 dimension\$4)	USPAT	OR	OFF	2004/11/10 10:38
L8	0	selection adj mask\$4 same block same (repeat\$4 or reiterat\$5 or copied or copy\$3 or replicat\$5) and (2d or 2-d or two adj1 dimension\$4)	USPAT	OR	OFF	2004/11/10 10:42
L9	58	selection same mask\$4 same block same (repeat\$4 or reiterat\$5 or copied or copy\$3 or replicat\$5) and (2d or 2-d or two adj1 dimension\$4)	USPAT	OR	OFF	2004/11/10 10:42
L10	3	selection same mask\$4 same block same (repeat\$4 or reiterat\$5 or copied or copy\$3 or replicat\$5) same (2d or 2-d or two adj1 dimension\$4)	USPAT	OR	OFF	2004/11/10 10:42
L11	1	selection same mask\$4 same block near15 (repeat\$4 or reiterat\$5 or copied or copy\$3 or replicat\$5) same (2d or 2-d or two adj1 dimension\$4)	USPAT	OR	OFF	2004/11/10 10:45
L12	0	selection same mask\$4 same block near5 (repeat\$4 or reiterat\$5 or copied or copy\$3 or replicat\$5) same (2d or 2-d or two adj1 dimension\$4)	USPAT	OR	OFF	2004/11/10 10:42
L13	7	((selection same mask\$4) or mask\$4) same block near15 (repeat\$4 or reiterat\$5 or copied or copy\$3 or replicat\$5) same (2d or 2-d or two adj1 dimension\$4)	USPAT	OR	OFF	2004/11/10 10:48
L14	4	((selection same mask\$4) or mask\$4) same block near3 (repeat\$4 or reiterat\$5 or copied or copy\$3 or replicat\$5) same (2d or 2-d or two adj1 dimension\$4)	USPAT	OR	OFF	2004/11/10 10:46

L15	1	((selection same mask\$4) or mask\$4) same block near10 (repeat\$4 or reiterat\$5 or copied or copy\$3 or replicat\$5) near10 (2d or 2-d or two adj1 dimension\$4)	USPAT	OR	OFF	2004/11/10 10:50
L16	62	block near10 (repeat\$4 or reiterat\$5 or copied or copy\$3 or replicat\$5) near10 (2d or 2-d or two adj1 dimension\$4)	USPAT	OR	OFF	2004/11/10 10:49
L17	4	((selection same mask\$4) or mask\$4) same block near10 (repeat\$4 or reiterat\$5 or copied or copy\$3 or replicat\$5) near10 (2d or 2-d or two adj1 dimension\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 10:50